

Over the counter items - GP guide to self care

In March 2018, NHS England published guidance for conditions for which over the counter (OTC) items should not routinely be prescribed in primary care.¹ It listed 35 conditions plus probiotics and vitamins and minerals, as areas where self care may be more appropriate. However, there are some exceptions to this guidance listed below.

Recommendations

General exceptions to the guidance

Please note: These exceptions do not apply to vitamins, minerals, probiotics and those self-limiting conditions where there is limited evidence of clinical effectiveness for the treatments used (e.g. OTC items for cough, sore throat and infant colic). Furthermore, being exempt from paying a prescription charge does not automatically warrant an exception to the guidance.

The specific scenarios where patients should continue to have their treatments prescribed are:

- Patients prescribed an OTC treatment for a long-term condition, e.g. regular pain relief for chronic arthritis or treatments for inflammatory bowel disease.
- For the treatment of more complex forms of minor illnesses, e.g. severe migraines that are unresponsive to OTC medicines.
- For those patients that have symptoms that suggest the condition is not minor, i.e. those with red flag symptoms, for example, indigestion with very bad pain.
- Treatment for complex patients, e.g. immunosuppressed patients.
- Patients on prescription only treatments.
- Patients prescribed OTC products to treat an adverse effect or symptom of a more complex illness.
- Circumstances where the product licence does not allow the product to be sold over the counter to certain groups of patients. This may vary by medicine, but could include babies, children and/or women who are pregnant or breast-feeding. Community pharmacists will be aware of what these are and can advise accordingly.
- Patients with a minor condition suitable for self care that has not responded sufficiently to treatment with an OTC product.
- Patients where the clinician considers that the presenting symptom is due to a condition that would not be considered a minor condition.
- Circumstances where the prescriber believes that, in their clinical judgement, exceptional circumstances exist that warrant deviation from the recommendation to self care.
- Individual patients where the clinician considers that their ability to self-manage is compromised as a consequence of medical, mental health or significant social vulnerability to the extent that their health and/or wellbeing could be adversely affected, if reliant on self care. Consideration should also be given to safeguarding issues.

This guide highlights information relevant to OTC medicines available to treat the conditions listed in the NHS England guidance.

Contents

Items of low clinical effectiveness

1. Probiotics 3
2. Vitamins and minerals 3

Self-limiting conditions

3. Acute sore throat 4
4. Infrequent cold sores of the lips and face 6
5. Conjunctivitis 6
6. Coughs and colds and nasal congestion 7
7. Cradle cap (seborrhoeic dermatitis – infants) 9
8. Haemorrhoids 9
9. Infant colic 10
10. Mild cystitis 11

Minor illnesses suitable for self care

11. Mild irritant dermatitis 12
12. Dandruff 13
13. Diarrhoea 14
14. Dry eyes/sore tired eyes 15
15. Ear wax 15
16. Excessive sweating (Hyperhidrosis) 16
17. Head lice 16
18. Indigestion and heartburn 17
19. Infrequent constipation 18
20. Infrequent migraine 20
21. Insect bites and stings 22
22. Mild acne 23
23. Mild dry skin 23
24. Sunburn due to excessive sun exposure 23
25. Sun protection 23
26. Mild to moderate hay fever/allergic rhinitis 24
27. Minor burns and scalds 26
28. Minor conditions associated with pain 27
29. Mouth ulcers 30
30. Nappy rash 30
31. Oral thrush 30
32. Prevention of dental caries (dental decay) 31
33. Ringworm/Athletes foot 31
34. Teething/mild toothache 32
35. Thread-worms 33
36. Travel sickness 34
37. Warts and verrucae

References

Items of low clinical effectiveness

| | |
|--|--|
| <p>1. Probiotics</p> | <p>There is currently insufficient clinical evidence to support the prescribing of probiotics within the NHS for the treatment or prevention of diarrhoea of any cause.^{1,2,3}</p> <p>Exceptions</p> <ul style="list-style-type: none"> NHS England guidance in 2018 listed Advisory Committee on Borderline Substances (ACBS) approved indication or as per local policy as exceptions.¹ However, probiotic preparations are no longer listed in Part XV (Borderline Substances) in the Drug Tariff⁴ and so should not be prescribed on an NHS prescription as an ACBS. For further information refer to PrescQIPP bulletin 262: Probiotics. |
| <p>2. Vitamins and minerals</p> | <p>Vitamins and minerals should not be prescribed as dietary supplements or as a general “pick-me-up”, and these preparations should not be routinely prescribed in primary care due to limited evidence of clinical effectiveness.^{1,5,6}</p> <p>Vitamins and minerals are essential nutrients which most people can and should get from eating a healthy, varied, and balanced diet. In most cases, dietary supplementation is unnecessary.¹</p> <p>Many vitamin and mineral supplements are classified as foods and not medicines; they therefore do not have to go through the strict criteria laid down by the Medicines and Healthcare products Regulatory Agency (MHRA) to confirm their quality, safety, and efficacy before reaching the market. It is therefore deemed not appropriate for such preparations to be routinely funded on the NHS.¹</p> <p>Any prescribing not in-line with the listed exceptions should be discontinued.¹</p> <p>Exceptions</p> <ul style="list-style-type: none"> Medically diagnosed deficiency, including for those patients who may have a lifelong or chronic condition or have undergone surgery that results in malabsorption. Continuing need should be reviewed on a regular basis. NB: maintenance or preventative treatment is not an exception. Calcium and vitamin D for osteoporosis. Malnutrition including alcoholism. Patients suitable to receive Healthy Start Vitamins for pregnancy or children between the ages of six months to their fourth birthday (NB: this is not on prescription but commissioned separately). Vitamin K (menadiol, phytomenadione) Prescription only vitamin D analogues such as alfacalcidol. Vitamin and mineral supplements recommended by the ACBS as borderline substances in patients with malnutrition.⁴ Only in the management of actual or potential vitamin or mineral deficiency; not to be prescribed as dietary supplements or “pick-me-ups”.⁵ |

Self-limiting conditions

The lists below were correct at the time of publishing and are not an exhaustive list of OTC products. Prescribers should refer to a community pharmacist who will be able to advise further on specific preparations, drug interactions and suitability. Community pharmacists should check for 'red flag' symptoms for patients presenting with symptoms related to the conditions covered in this guide. Prescribers and community pharmacists should refer patients to the [NHS website](#), the [Self Care Forum](#), [NHS 111](#), [NHS 111 Wales](#) or [NHS 24](#) for further advice on when they should seek GP care.

| | | |
|-------------------------|--|--------------------------|
| Medication | For further advice see the product information leaflet. | |
| Common brands | Other brands may be available. | |
| OTC restrictions | For additional specific advice on restrictions, see the individual product information leaflet. These may vary between brands. | |
| P/GSL | P = Pharmacy only | GSL = General sales list |

| Condition | Exceptions ¹ | Medication | Common brands | OTC restrictions (not exhaustive) | P/ GSL |
|-----------------------------|---|--|---|--|-----------|
| 3. Acute sore throat | Red flag symptoms that suggest the condition is not minor | Benzydamine 0.15% mouthwash and oromucosal spray | <ul style="list-style-type: none"> • Difflam® Oral rinse⁷/ Sore Throat Rinse⁸/ Spray⁹ • Oroeze® Mouthwash¹⁰/ Oromucosal Spray¹¹ • Benzydamine mouthwash¹⁰/ oromucosal spray (generic)¹¹ | <ul style="list-style-type: none"> • Children aged 12 years or under (oral rinse/ mouthwash), no age restriction for the oral spray • Pregnancy, breastfeeding • Hypersensitivity to acetylsalicylic acid or other nonsteroidal anti-inflammatory drugs (NSAIDs) • Caution in patients with asthma | P |

| Condition | Exceptions ¹ | Medication | Common brands | OTC restrictions (not exhaustive) | P/ GSL |
|---------------------------------------|---|-----------------|---|---|-----------|
| 3. Acute sore throat continued | Red flag symptoms that suggest the condition is not minor | Throat lozenges | <ul style="list-style-type: none"> Covonia®¹² (chlorhexidine/ lidocaine) Difflam® 3mg¹³ (benzylamine) Strefen®¹⁴ (flurbiprofen) Strepsils®¹⁵ (amylmetacresol/ 2,4-dichlorobenzyl alcohol) | <ul style="list-style-type: none"> Children under 12 years (Covonia®, Strefen®) Children under six years (Difflam®3mg, Strepsils®) Fructose intolerance Pregnancy (Covonia® may be considered if necessary, flurbiprofen contraindicated in the last trimester), breastfeeding Benzylamine – hypersensitivity to acetylsalicylic acid or other NSAIDs and caution in patients with asthma Flurbiprofen – hypersensitivity to acetylsalicylic acid or other NSAIDs, active or historic peptic ulcer/ haemorrhage or GI ulceration, severe heart failure/ severe renal failure/severe hepatic failure, history of gastrointestinal bleeding or perforation, severe colitis or haemorrhagic, haematopoietic disorders related to previous NSAID therapy, concomitant NSAIDs/COX-2 inhibitors | GSL/P |
| | | Throat sprays | <ul style="list-style-type: none"> Covonia® Throat Spray¹⁶ (chlorhexidine/ lidocaine) Ultra Chloraseptic®¹⁷ (benzocaine) | <ul style="list-style-type: none"> Children under 12 years (Covonia®) Children under 6 years (Ultra Chloraseptic®) Pregnancy, breastfeeding | GSL/P |

| Condition | Exceptions ¹ | Medication | Common brands | OTC restrictions (not exhaustive) | P/ GSL |
|--|--|---|---|---|-----------|
| 4. Infrequent cold sores of the lips and face | Immuno-compromised patients Red flag symptoms that suggest the condition is not minor | Aciclovir cream 5% | <ul style="list-style-type: none"> • Pinewood Cold Sore Cream¹⁸ • Virasorb®¹⁹ • Zovirax®²⁰ | <ul style="list-style-type: none"> • Immunocompromised patients • Only for face and lips, not on mucous membranes • Not for the treatment of genital herpes or ocular herpes infections • Pregnancy (consider benefits vs. risks) | GSL |
| 5. Conjunctivitis | Red flag symptoms that suggest the condition is not minor | Chloramphenicol 0.5% eye drops Chloramphenicol 1% eye ointment | <ul style="list-style-type: none"> • Brolene Antibiotic® 0.5% eye drops²¹ • Chloramphenicol Antibiotic 0.5% eye drops²² (generic) • Optrex® Infected eye drops²³ • Optrex® bacterial conjunctivitis 1% eye ointment²⁴ | <ul style="list-style-type: none"> • Children under two years • Pregnancy, breastfeeding • Those with a known personal or family history of blood dyscrasias including aplastic anaemia • Patients with pre-existing bone-marrow depression or patients who have experienced myelosuppression during previous exposure to chloramphenicol | P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--|---|---|---|---|--|
| 6. Coughs and colds and nasal congestion | Red flag symptoms that suggest the condition is not minor | Paracetamol 500mg tablets/soluble tablets/effervescent tablets/sachets/capsules Paracetamol 500mg/5ml adult oral solution/suspension sugar free Paracetamol 120mg/5ml paediatric oral solution/suspension (from three months) sugar free Paracetamol 250mg/5ml suspension (from 6 years old) with and without sugar Paracetamol suppositories (from three months) | <ul style="list-style-type: none"> Anadin® paracetamol tablets²⁵ Calpol® Six Plus Sugar Free Suspension²⁶ Calpol® Sugar Free Infant Suspension²⁷ Panadol® Advance tablets²⁸ Paracetamol 500mg tablets (generic)²⁹ Alvedon® 60mg, 125mg or 250mg suppositories³⁰ | <ul style="list-style-type: none"> Severe renal or severe hepatic impairment (medical advice needed) Use with caution in patients with glutathione depletion due to metabolic deficiencies Children under two months (Calpol® Sugar Free Infant Suspension) Babies born before 37 weeks (Calpol® Sugar Free Infant Suspension) Babies weighing less than 4kg (Calpol® Sugar Free Infant Suspension) Children under six years (Anadin paracetamol®, Calpol® Six Plus Sugar Free Suspension) Children under ten years (Panadol Advance® tablets, Paracetamol 500mg tablets (generic)) Fructose intolerance (Calpol® suspensions, soluble paracetamol tablets) Sodium content of soluble/effervescent tablets and sachets | GSL/P depending on pack size and formulation |
| | | Ibuprofen 200mg, 400mg capsules/tablets Ibuprofen 100mg/5ml oral suspension | <ul style="list-style-type: none"> Anadin® Ibuprofen³¹ Calprofen®³² Cuprofen®³³ Nurofen®³⁴ | <ul style="list-style-type: none"> Children under three months and weighing less than 5kg (Calprofen®, Nurofen®, some brands may vary) Children under 12 years (Anadin® Ibuprofen, Cuprofen®) Severe renal or hepatic impairment Class IV heart failure Last trimester of pregnancy (use only if it is clearly necessary in the first and second trimesters) Avoid use in chickenpox (varicella) Stomach ulcer, perforation or bleeding (active or history of) Fructose intolerance Long-term indication Previous hypersensitivity to aspirin or NSAIDs | GSL/P depending on pack size and formulation |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|---|--|---|--|-------|
| 6. Coughs and colds and nasal congestion continued | Red flag symptoms that suggest the condition is not minor | Pseudoephedrine hydrochloride or pseudoephedrine hydrochloride-containing preparations | <ul style="list-style-type: none"> • Benylin® Day & Night Tablets³⁵ (diphenhydramine hydrochloride/ paracetamol/ pseudoephedrine hydrochloride) • Non-Drowsy Sinutab®³⁶ (paracetamol/ pseudoephedrine hydrochloride) • Lemsip® Max Flu³⁷ (paracetamol/ pseudoephedrine hydrochloride) • Sudafed® Decongestant Tablets³⁸ (pseudoephedrine) • Sudafed® Decongestant Liquid³⁹ • Sudafed® Sinus Pressure & Pain Tablets⁴⁰ | <ul style="list-style-type: none"> • Children under 12 years (Benylin® Day & Night; Sudafed® Decongestant Tablets and liquid; Non-drowsy Sinutab®) or children under 16 years of age (Lemsip® Max Flu, Sudafed® Sinus Pressure & Pain Tablets) • Pregnancy, breastfeeding • Avoid use in cardiovascular disease, hypertension, diabetes, hyperthyroidism, phaeochromocytoma, closed-angle glaucoma, severe renal impairment, concomitant sympathomimetic decongestants, beta-blockers or monoamine oxidase inhibitors (MAOIs), or within 14 days of stopping MAOI treatment • Use with caution/avoid (depending on the brand) in patients with hyperexcitability, urination difficulty, prostatic enlargement, severe hepatic impairment, occlusive vascular disease, asthma. Other preparations may differ depending on the combination product | P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|---|---|--|---|-------|
| 7. Cradle cap (seborrhoeic dermatitis – infants) | If causing distress to the infant and is not improving | Topical emollient and mild shampoo | <ul style="list-style-type: none"> • Capasal™ Therapeutic Shampoo⁴¹ (salicylic acid/ coconut oil/coal tar) • Dentinox® Cradle Cap Treatment Shampoo⁴² (sodium lauryl ether sulfo-succinate/sodium lauryl ether sulfate) • Loyon® Cradle Cap Treatment⁴³ (dicaprylyl carbonate/dimeticones) | <ul style="list-style-type: none"> • Not to be used on broken or infected skin (Dentinox® Shampoo) | GSL |
| 8. Haemorrhoids | Red flag symptoms that suggest the condition is not minor | Astringent, lubricant, antiseptic, local anaesthetic, and/ or corticosteroid preparations | <ul style="list-style-type: none"> • Anodesyn® Ointment⁴⁴ (allantoin/lidocaine hydrochloride) • Anusol Cream®⁴⁵ (zinc oxide/bismuth oxide/ balsam peru) • Anusol Plus HC Ointment®⁴⁶ (balsam peru/ benzyl benzoate/bismuth oxide/bismuth subgallate/ hydrocortisone acetate/ zinc oxide) • Germoloids Ointment®⁴⁷ (zinc oxide/lidocaine hydrochloride) | <ul style="list-style-type: none"> • Not recommended for children (Anodesyn®, Anusol® preparations) • Children under 12 years (Germoloids®) • Pregnancy, breastfeeding • Tubercular, fungal and most viral lesions including herpes simplex, vaccinia and varicella (Anusol Plus HC®) • Rectal bleeding or blood in stools | GSL/P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|---|----------------------|--|---|-------|
| 9. Infant colic (OTC treatments can be tried; there is limited evidence for the effectiveness of these treatments) ¹ | Red flag symptoms that suggest the condition is not minor | Lactase | <ul style="list-style-type: none"> • Colief® Infant Drops⁴⁸ | <ul style="list-style-type: none"> • No restrictions | GSL |
| | | Simeticone | <ul style="list-style-type: none"> • Infacol®⁴⁹ 40mg/ml | <ul style="list-style-type: none"> • No restrictions | GSL |
| | | Activated dimeticone | <ul style="list-style-type: none"> • Dentinox® Infant Colic Drops⁵⁰ 42mg/5ml | <ul style="list-style-type: none"> • Fructose intolerance, glucose-galactose malabsorption, sucrase-isomaltase insufficiency or sucrose intolerant patients (contains sucrose) | GSL |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|---|--|--|--|-------|
| 10. Mild cystitis (Uncomplicated lower urinary tract infection in women) | Red flag symptoms that suggest the condition is not minor | Sodium citrate (lack of evidence to support use) ⁵¹ | <ul style="list-style-type: none"> • CanesOasis® Cystitis Relief granules⁵² • Boots Cystitis Relief⁵³ | <ul style="list-style-type: none"> • Men • Catheterisation • Visible haematuria • Children under 16 years • Diabetes • Heart disease, including hypertension, • Renal disease • Pregnancy, breastfeeding • On a low sodium diet • Intolerance to some sugars (contains sucrose) | GSL |
| | | Potassium citrate (lack of evidence to support use) ⁵¹ | <ul style="list-style-type: none"> • Cystopurin®⁵⁴ • Effercitrate®⁵⁵ • Potassium Citrate Mixture (generic)⁵⁶ | <ul style="list-style-type: none"> • Men • Catheterisation • Visible haematuria • Pregnancy (adjunctive and secondary to anti-bacterial treatment; can be used at recommended doses for initial symptom relief), breastfeeding • Children under one year (Potassium Citrate Mixture) • Children under six years (Cystopurin®, Effercitrate®) • Addison's disease (Effercitrate®, Potassium Citrate Mixture) • Renal dysfunction • Hyperkalaemia (Effercitrate®, Potassium Citrate Mixture) • Ventricular arrhythmias (Potassium Citrate Mixture; Effercitrate®) • Heart disease, including hypertension (Cystopurin®, Effercitrate®) • Acute dehydration (Effercitrate®) | GSL |

Minor illnesses suitable for self care

The lists below were correct at the time of publishing and are not an exhaustive list of OTC products. Prescribers should refer to a community pharmacist who will be able to advise further on specific preparations, drug interactions and suitability. Community pharmacists should check for '[red flag](#)' symptoms for patients presenting with symptoms related to the conditions covered in this guide. Prescribers and community pharmacists should refer patients to the [NHS website](#), the [Self Care Forum](#), [NHS 111](#), [NHS 111 Wales](#) or [NHS 24](#) for further advice on when they should seek GP care.

| | | |
|-------------------------|--|--------------------------|
| Medication | For further advice see the product information leaflet. | |
| Common brands | Other brands may be available. | |
| OTC restrictions | For additional specific advice on restrictions, see the individual product information leaflet. These may vary between brands. | |
| P/GSL | P = Pharmacy only | GSL = General sales list |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|-------------------------------------|--|--|--|--|-------|
| 11. Mild irritant dermatitis | No routine exceptions have been identified See general exceptions on page 1 | Emollients (not aqueous cream) ⁵⁷ Crotamiton Steroid-containing preparations such as hydrocortisone | <ul style="list-style-type: none"> • Eurax® Cream⁵⁸ (crotamiton) • Eurax-Hc® Cream⁵⁹ (hydrocortisone/ crotamiton) • Hc45® Hydrocortisone Cream⁶⁰ | <ul style="list-style-type: none"> • Eurax® Cream is licensed for children over three years (medical supervision required for under 3s) • Eurax-Hc® and Hc45® are licensed for children over ten years (medical advice required for under 10s) • Pregnancy, breastfeeding • Exudative, ulcerated, broken or inflamed skin • Buccal mucosa, face, scalp, in and around the eyes, and anogenital region • Untreated bacterial, viral, tuberculous or fungal infections (Eurax Hc®; Hc45®) • Aqueous cream is not recommended as an emollient, only as a soap substitute for skin washing⁵⁷ | GSL/P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--------------|--|----------------------------|--|---|-------|
| 12. Dandruff | No routine exceptions have been identified See general exceptions on page 1 | Ketoconazole shampoo | <ul style="list-style-type: none"> • Dandrazol® Anti-Dandruff shampoo⁶¹ • Nizoral® Dandruff shampoo⁶² | <ul style="list-style-type: none"> • Children under 12 years | GSL/P |
| | | Coal tar shampoo/ ointment | <ul style="list-style-type: none"> • Capasal® Therapeutic Shampoo⁶³ (salicylic acid/ coconut oil/coal tar) • Cociois® (Coconut Oil Compound Ointment)⁶⁴ (salicylic acid/coal tar/ precipitated sulfur) • Polytar® scalp shampoo⁶⁵ (coal tar) | <ul style="list-style-type: none"> • Pregnancy, breastfeeding (Cociois®, Polytar®) • Children under 12 years (Cociois®, Polytar®) • Infected open skin lesions or acute pustular psoriasis, inflamed or broken skin (Cociois®, Polytar®) | GSL/P |
| | | Selenium sulfide shampoo | <ul style="list-style-type: none"> • Selsun® Shampoo⁶⁶ | <ul style="list-style-type: none"> • Pregnancy • Children under 5 years • Damaged or inflamed skin on the scalp | P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--------------------------------|--|------------------------------------|---|--|------------------------------|
| 13. Diarrhoea (Adults only) | No routine exceptions have been identified | Oral rehydration solutions/sachets | <ul style="list-style-type: none"> Boots Rehydration Treatment®⁶⁷ Dioralyte® Relief Sachets⁶⁸ | <ul style="list-style-type: none"> Liver or renal disease Low potassium/sodium diets Phenylketonuria Intestinal obstruction Children under one year (medical advice needed) Pregnancy/breastfeeding (medical advice needed) | GSL/P |
| | See general exceptions on page 1 This recommendation does not apply to children | Loperamide 2mg capsules | <ul style="list-style-type: none"> Boots Diarrhoea Relief⁶⁹ Imodium®⁷⁰ Loperamide (generic)⁷¹ | <ul style="list-style-type: none"> Children under 12 years of age Pregnancy/breastfeeding Irritable bowel syndrome (IBS) that has not been diagnosed by a doctor Blood in stools and high fever (acute dysentery) When inhibition of peristalsis is to be avoided Acute ulcerative colitis Bacterial enterocolitis Pseudomembranous colitis Galactose intolerance, the Lapp lactase deficiency or glucose-galactose malabsorption | GSL/P depending on pack size |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|----------------------------------|---|--|---|---|---|
| 14. Dry eyes/ sore tired eyes | No routine exceptions have been identified See general exceptions on page 1 Pre-existing eye conditions | Hypromellose 0.3% | <ul style="list-style-type: none"> • Artelac® eye drops⁷² • Hypromellose (generic) eye drops⁷³ | <ul style="list-style-type: none"> • Pregnancy, breastfeeding with carbomer (check individual brands) • Use with soft contact lenses (check individual brands) | GSL/P |
| | | Carbomer | <ul style="list-style-type: none"> • Gel Tears®⁷⁴ • Liquivisc®⁷⁵ • Viscotears® Liquid Gel⁷⁶ | | |
| | | Yellow Soft Paraffin/Anhydrous Lanolin/Liquid Paraffin | <ul style="list-style-type: none"> • Simple Eye Ointment⁷⁷ | | |
| | | Sodium hyaluronate | <ul style="list-style-type: none"> • Boots Eye Drops for Dry and Irritated Eyes⁷⁸ • Optrex® Intensive Eye Drops⁷⁹ | | |
| | | Distilled witch hazel | <ul style="list-style-type: none"> • Optrex® Sore Eyes Drops⁸⁰ | | |
| 15. Ear wax | No routine exceptions have been identified See general exceptions on page 1 Perforated ear drum | Olive oil drops Docusate sodium 0.5% drops Urea hydrogen peroxide 5% Acetic acid 2% (not licensed for wax removal, may help if ears itch after wax removal; however, significant itching may indicate infection and this should be confirmed and treated by the GP) | <ul style="list-style-type: none"> • EarCalm® Spray⁸¹ • Otex® Ear Drops⁸² • Waxsol® Ear Drops⁸³ | <ul style="list-style-type: none"> • Children under 12 years (EarCalm®) • Ear drum damaged, ear disorder or history of ear problems (Otex®) • Perforation of the ear drum (EarCalm®; Waxsol®) • Inflammation of the ear (EarCalm®; Waxsol®) | GSL (olive oil) P (all other ear drops/sprays) |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--|---|---|---|---|-------|
| 16. Excessive sweating (Hyperhidrosis) | No routine exceptions have been identified See general exceptions on page 1 | Aluminium chloride | <ul style="list-style-type: none"> Anhydrol Forte®⁸⁴ Driclor®⁸⁵ | <ul style="list-style-type: none"> Broken or irritated skin External use only | P |
| 17. Head lice | No routine exceptions have been identified See general exceptions on page 1 OTC chemical treatment (as opposed to wet combing) is only recommended in exceptional circumstances | Dimeticone Oxyphthirine Cylcomethicone, isopropyl myristate | <ul style="list-style-type: none"> Hedrin®⁸⁶ Lyclear® Sensitive Treatment Lotion⁸⁷ Lyclear® Crème Rinse⁸⁷ Full Marks®⁸⁸ | <ul style="list-style-type: none"> Children under six months Pregnancy, breastfeeding (Derbac-M®) Avoid use on broken or infected skin (Derbac-M®) | GSL/P |
| | | Malathion | <ul style="list-style-type: none"> Derbac-M®⁸⁹ | | GSL |
| | | Isopropyl myristate, isopropyl alcohol | <ul style="list-style-type: none"> Vamousse®⁹⁰ | <ul style="list-style-type: none"> Children under two years Pregnancy, breastfeeding (medical advice needed) | GSL |
| | | Conditioner Headlice combs for wet combing | <ul style="list-style-type: none"> Various | <ul style="list-style-type: none"> No restrictions | GSL |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--------------------------------------|--|---|--|---|-------|
| 18. Indigestion and heartburn | No routine exceptions have been identified See general exceptions on page 1 | Sodium bicarbonate, calcium carbonate, magnesium carbonate | <ul style="list-style-type: none"> Bisodol® Original Indigestion Relief Tablets⁹¹ | <ul style="list-style-type: none"> Children under 12 years Cardiac or renal issues Hypophosphataemia | GSL |
| | | Sodium alginate, potassium hydrogen carbonate | <ul style="list-style-type: none"> Acidex®⁹² | <ul style="list-style-type: none"> Children under 12 years Highly restricted sodium or potassium diet Hypercalcaemia, nephrocalcinosis and recurrent calcium containing renal calculi | GSL/P |
| | | Sodium alginate, potassium hydrogen carbonate | <ul style="list-style-type: none"> Gaviscon® Advance⁹³ | | |
| | | Sodium alginate Magnesium alginate | <ul style="list-style-type: none"> Gaviscon Infant®⁹⁴ | <ul style="list-style-type: none"> Children over two years Premature infants or infants under one year except under medical supervision Renal impairment Intestinal obstruction Excessive water loss likely, e.g. diarrhoea, vomiting, gastroenteritis | P |
| | | Omeprazole | <ul style="list-style-type: none"> Pyrocalm Control®⁹⁵ Boots Pharmaceuticals Acid Reflux Tablets⁹⁵ | <ul style="list-style-type: none"> Children under 18 years of age Treatment for more than 14 days (omeprazole, esomeprazole) Patients on continuous symptomatic treatment of indigestion or heartburn for four or more weeks | GSL |
| | | Esomeprazole | <ul style="list-style-type: none"> Nexium Control®⁹⁶ Guardium®⁹⁷ | <ul style="list-style-type: none"> Patients with rare hereditary problems of galactose intolerance, total lactase deficiency or glucose-galactose malabsorption (omeprazole, esomeprazole) Jaundice or liver disease | GSL |
| Pantoprazole | <ul style="list-style-type: none"> Pantoloc Control®⁹⁸ | <ul style="list-style-type: none"> Aged over 55 years with new or recently changed symptoms Previous gastric ulcer or gastrointestinal surgery Pregnancy (esomeprazole, pantoprazole) Breast feeding (esomeprazole, pantoprazole) | P | | |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|------------------------------------|--|-----------------------|---|---|------------------------------|
| 19. Infrequent constipation | No routine exceptions have been identified See general exceptions on page 1 | Lactulose | <ul style="list-style-type: none"> Lactulose (generic)⁹⁹ Duphalac®¹⁰⁰ | <ul style="list-style-type: none"> Galactosaemia Acute inflammatory bowel disease, gastrointestinal obstruction or subocclusive syndromes, digestive perforation or risk of digestive perforation, painful abdominal syndromes of undetermined cause | P |
| | | Bisacodyl tablets 5mg | <ul style="list-style-type: none"> Bisalax®¹⁰¹ Dulcolax®¹⁰² Sovolax®¹⁰³ | <ul style="list-style-type: none"> Patients with ileus, intestinal obstruction, acute abdominal conditions including appendicitis, acute inflammatory bowel diseases, and severe abdominal pain associated with nausea and vomiting which may be indicative of the aforementioned severe conditions Galactose intolerance, the Lapp lactase deficiency or glucose-galactose malabsorption, fructose intolerance or sucrase-isomaltase insufficiency Severe dehydration Pregnancy and breastfeeding (medical advice needed) Children under 18 years | GSL/P depending on pack size |
| | | Senna | <ul style="list-style-type: none"> Senokot® Max Strength 12 years plus¹⁰⁴ Senokot® 12 years plus¹⁰⁵ | <ul style="list-style-type: none"> Severe dehydration with water and electrolyte depletion Children under 12 years Pregnancy, breastfeeding Intestinal obstructions and stenosis, atony, appendicitis, inflammatory bowel diseases, abdominal pain of unknown origin Treatment for more than seven days Galactose intolerance, the Lapp lactase deficiency or glucose-galactose malabsorption | GSL/P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--|--|-------------------------|--|---|-------|
| 19. Infrequent constipation continued | No routine exceptions have been identified See general exceptions on page 1 | Ispaghula Husk Granules | <ul style="list-style-type: none"> • Fybogel®¹⁰⁶ • Ispagel®¹⁰⁷ | <ul style="list-style-type: none"> • Children under six years (Fybogel®) • Children under 12 years (Ispagel®) • Diabetes and concomitant use of thyroid hormones (medical advice needed) • Patients with a sudden change in bowel habit that has persisted more than two weeks • Undiagnosed rectal bleeding and failure to defecate following the use of a laxative • Patients suffering from abnormal constrictions in the gastro-intestinal tract, with diseases of the oesophagus and cardia, intestinal obstruction, faecal impaction, natural or drug-induced reduction of gut motility and colonic atony such as senile mega-colon • Patients who have difficulty in swallowing or any throat problems • Phenylketonuria (Fybogel®, Ispagel® contain aspartame) • Treatment for more than three days without bowel movement | GSL |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|-------------------------|--|---|---|--|---------------------------------------|
| 20. Infrequent migraine | No routine exceptions have been identified See general exceptions on page 1 | Prochlorperazine maleate | <ul style="list-style-type: none"> Buccastem® M Buccal Tablets 3mg¹⁰⁸ | <ul style="list-style-type: none"> Impaired liver function Existing blood dyscrasias Epilepsy Parkinson's Disease Prostatic hypertrophy Narrow angle glaucoma Pregnancy, breastfeeding Children under 18 years Medical advice needed if there is a personal or family history of blood clots, risk factors for a blood clot or stroke (high blood pressure, high cholesterol level, diabetes, smoking) Maximum of two days treatment | P |
| | | Paracetamol tablets/ soluble tablets/ effervescent tablets/ sachets/capsules Paracetamol 500mg/5ml adult oral solution/ suspension sugar free | <ul style="list-style-type: none"> Anadin® paracetamol¹⁰⁹ Paracetamol 500mg soluble tablets¹¹⁰ Panadol® Advance tablets²⁸ Paracetamol 500mg tablets (generic)²⁹ | <ul style="list-style-type: none"> Long term conditions requiring regular pain relief Children under six years (Anadin® paracetamol) Children under ten years (Panadol® Advance tablets, Paracetamol 500mg tablets (generic)) Severe renal or severe hepatic impairment (medical advice needed) Fructose intolerance (Paracetamol soluble tablets) Use with caution if on a low sodium diet due to high sodium content of soluble/effervescent tablets and sachets | GSL/P depending on pack size |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|-----------------------------------|--|---|--|--|------------------------------|
| 20. Infrequent migraine continued | No routine exceptions have been identified See general exceptions on page 1 | Ibuprofen 200mg, 400mg capsules/ tablets Ibuprofen 100mg/5ml liquid/ suspension sugar free | <ul style="list-style-type: none"> • Anadin® Ibuprofen³¹ • Calprofen®³² • Cuprofen®³³ • Nurofen®³⁴ | <ul style="list-style-type: none"> • Long term indication • Stomach ulcer, perforation or bleeding (active or history of) • Children under three months (Calprofen®, Nurofen®) • Children under 12 years (Anadin® Ibuprofen, Cuprofen®) • Severe renal or hepatic impairment • Class IV heart failure • Last trimester of pregnancy (use only if it is clearly necessary in the first and second trimesters) • Avoid use in chickenpox (varicella) | GSL/P depending on pack size |
| | | Co-codamol 8/500mg tablets/ capsules/ effervescent tablets | <ul style="list-style-type: none"> • Migralve® Yellow tablets¹¹¹ • Paracodol®¹¹² | <ul style="list-style-type: none"> • Children under 12 years • Severe kidney and liver disease (medical advice needed) • Pregnancy, breastfeeding • Treatment length limited to three days • Head injury; in conditions in which intracranial pressure is increased; acute respiratory depression; obstructive bowel disorders and in patients at risk of paralytic ileus • CYP2D6 ultra-rapid metabolisers | P (up to 32 tablets) |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--|--|--|--|--|-------|
| 20. Infrequent migraine continued | No routine exceptions have been identified See general exceptions on page 1 | Sumatriptan | <ul style="list-style-type: none"> Boots Migraine Relief Tablets¹¹³ Migraitan®¹¹⁴ Sumibril®¹¹⁴ | <ul style="list-style-type: none"> Children under 18 years Patients over 65 years Patients who have had a myocardial infarction or have ischaemic heart disease, coronary vasospasm (Prinzmetal's angina), peripheral vascular disease or patients who have symptoms or signs consistent with ischaemic heart disease Patients with a history of cerebrovascular accident (stroke) or transient ischaemic attack (TIA) Severe hepatic impairment Moderate and severe hypertension and mild uncontrolled hypertension Galactose intolerance, total lactase deficiency or glucose-galactose malabsorption (Migraitan/Sumibril) Pregnancy/breastfeeding (medical advice needed) | P |
| 21. Insect bites and stings | No routine exceptions have been identified See general exceptions on page 1 | Mepyramine maleate 2% | <ul style="list-style-type: none"> Anthisan® cream 2%¹¹⁵ | <ul style="list-style-type: none"> Eczematous conditions or on extensively broken skin surfaces Pregnancy, breastfeeding (medical advice needed) Seek medical advice if no better, or worse, after three days | GSL |
| | | Lidocaine hydrochloride/zinc sulphate/cetrimide | <ul style="list-style-type: none"> Savlon® Bites & Stings Pain Relief Gel¹¹⁶ | <ul style="list-style-type: none"> Children under 12 years Not suitable for animal bites Broken or infected skin | GSL |
| | | Calamine/zinc oxide ¹¹⁹ | <ul style="list-style-type: none"> Calamine lotion¹¹⁷ | <ul style="list-style-type: none"> Broken or infected skin | GSL |
| | | Antihistamine (such as chlorphenamine – licensed for insect bites) | <ul style="list-style-type: none"> Piriton® syrup¹¹⁸ Boots Allergy Relief 4mg tablets¹¹⁹ | <ul style="list-style-type: none"> Children under six years – tablets, children under one year - solution Pregnancy, breastfeeding (medical advice needed) Kidney or liver impairment (medical advice needed) Patients who have taken a MAOI within the past 14 days Fructose intolerance, glucose-galactose malabsorption or sucrose-isomaltase insufficiency | P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--|--|--|---|---|-------|
| 22. Mild acne | No routine exceptions have been identified See general exceptions on page 1 | Benzoyl peroxide containing preparations | <ul style="list-style-type: none"> • Acnecide®¹²⁰ • Quinoderm® cream¹²¹ | <ul style="list-style-type: none"> • Pregnancy (only use if clearly needed), breastfeeding (caution) • Damaged skin • Acne rosacea (Quinoderm®) • Avoid use of sunlamps, prolonged exposure to sunlight | P |
| 23. Mild dry skin | See general exceptions on page 1 | Emollients (not aqueous cream), creams and ointments | <ul style="list-style-type: none"> • Cetraben®¹²² • Dermol®¹²³ • Emulsiderm®¹²⁴ • Oilatum®¹²⁵ | <ul style="list-style-type: none"> • Aqueous cream is not recommended as an emollient, only as a soap substitute for skin washing. | GSL/P |
| 24. Sunburn due to excessive sun exposure | See general exceptions on page 1 | After sun products | <ul style="list-style-type: none"> • Various including calamine lotion¹¹⁷ | <ul style="list-style-type: none"> • Broken or infected skin | GSL |
| 25. Sun protection | ACBS approved indication of photo-dermatoses (i.e. where skin protection should be prescribed) See general exceptions on page 1 | Sun protection cream/sprays/gels | <ul style="list-style-type: none"> • Various | <ul style="list-style-type: none"> • No restrictions | GSL |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|--|---|--|---|----------------------------------|
| 26. Mild to moderate hay fever/allergic rhinitis | No routine exceptions have been identified See general exceptions on page 1 | Chlorphenamine 2mg/5ml solution Chlorphenamine 4mg tablets | <ul style="list-style-type: none"> • Piriton® syrup¹¹⁸ • Boots Allergy Relief 4mg tablets¹¹⁹ | <ul style="list-style-type: none"> • Children under six years – tablets, children under one year - solution • Pregnancy, breastfeeding (medical advice needed) • Kidney or liver impairment (medical advice needed) • Patients who have taken a MAOI within the past 14 days • Fructose intolerance, glucose-galactose malabsorption or sucrose-isomaltase insufficiency | P |
| | | Loratadine 10mg tablets Loratadine 5mg/5ml syrup | <ul style="list-style-type: none"> • Clarityn® Allergy¹²⁶ • Loratadine (generic)¹²⁷ | <ul style="list-style-type: none"> • Children under six years with a body weight of more than 30 kg - tablets, children under 2 years – syrup • Pregnancy, breastfeeding • Galactose intolerance, the Lapp lactase deficiency or glucose-galactose malabsorption • Severe liver impairment – use with caution | GSL/P depending on pack sizes |
| | | Acrivastine 8mg capsule | <ul style="list-style-type: none"> • Benadryl® Allergy Relief¹²⁸ • Acrivastine (generic)¹²⁹ | <ul style="list-style-type: none"> • Children under 12 years • Adults over 65 years • Pregnancy, breastfeeding • Severe renal impairment • Galactose intolerance, the Lapp lactase deficiency or glucose-galactose malabsorption | GSL/P depending on pack sizes |
| | | Fexofenadine 120mg tablets | <ul style="list-style-type: none"> • Allevia® 120mg tablets¹³⁰ | <ul style="list-style-type: none"> • Children under 12 years • Should only be used on the advice of a doctor in the elderly, renally or hepatically impaired patients, and those with a history of or ongoing cardiovascular disease | GSL |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|--|--|---|---|-------------------------------|
| 26. Mild to moderate hay fever/ allergic rhinitis continued | No routine exceptions have been identified See general exceptions on page 1 | Cetirizine 10mg tablets Cetirizine 1mg/ml oral solution | <ul style="list-style-type: none"> • Cetirizine (generic)¹³¹ • Piriteze® Allergy¹³² • Zirtek® Allergy Relief¹³³ | <ul style="list-style-type: none"> • Children under six years - tablets, children under two years - solution • Severe renal impairment: less than 10ml/min creatinine clearance (eGFR less than 10ml/minute/1.73m²) - solution, GFR below 15ml/min - tablet • Pregnancy, breastfeeding - use with caution | GSL/P depending on pack sizes |
| | | Beclomethasone 0.05% nasal spray | <ul style="list-style-type: none"> • Beconase® Hayfever¹³⁴ • Boots Hayfever Relief¹³⁵ | <ul style="list-style-type: none"> • Children under 18 years • Pregnancy, breastfeeding (medical advice needed) • Caution with renal impairment, history of glaucoma, nose infection, sinus trouble, recent surgery or injury to nose, ulcers in nose, using or recently used other corticosteroid medicines | GSL/P depending on pack sizes |
| | | Sodium cromoglicate 2% eye drops | <ul style="list-style-type: none"> • Allercrom®¹³⁶ • Allergy Relief¹³⁷ • Aspire Hayfever Relief¹³⁷ • Catacrom® preservative free single dose¹³⁸ • Librachrom®¹³⁹ • Opticrom®¹³⁷ • Optrex® Hayfever Relief¹³⁷ • Sodium cromoglicate (generic)¹⁴⁰ | <ul style="list-style-type: none"> • Some brands are not licensed for children under 6 years (Allercrom®) • Continuous treatment for more than 14 days (Allercrom®) • Pregnancy, breastfeeding - use with caution • Dry eye syndrome • Do not use with soft contact lenses, remove other types of contact lenses before instilling drops | GSL/P depending on brand |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|-----------------------------------|---|--|--|---|------------|
| 27. Minor burns and scalds | <p>See general exceptions on page 1</p> <p>No routine exceptions have been identified</p> <p>However, more serious burns always require professional medical attention</p> <p>Burns requiring hospital A&E treatment include but are not limited to:</p> <ul style="list-style-type: none"> • All chemical and electrical burns • Large or deep burns • Burns that cause white or charred skin • Burns on the face, hands, • Arms, feet, legs, or genitals that cause blisters | <p>Antiseptic burn cream</p> <p>Cooling burn gel</p> | <ul style="list-style-type: none"> • Acriflex® 0.25% w/w Cream¹⁴¹ • Germolene® Antiseptic Cream¹⁴² • Savlon® Antiseptic Cream¹⁴³ • Sudocrem® Antiseptic Healing Cream¹⁴⁴ | <ul style="list-style-type: none"> • External use only | <p>GSL</p> |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|--|--|---|---|--|------------------------------|
| 28. Minor conditions associated with pain, discomfort and fever, e.g. aches and sprains, headache, period pain, back pain | No routine exceptions have been identified See general exceptions on page 1 | Paracetamol 500mg tablets/soluble tablets/effervescent tablets/sachets/capsules Paracetamol 500mg/5ml adult oral solution/suspension sugar free Paracetamol 120mg/5ml paediatric oral solution/suspension (from 3 months) sugar free Paracetamol 250mg/5ml suspension (from six years old) with and without sugar Paracetamol suppositories (from three months) | <ul style="list-style-type: none"> • Anadin® paracetamol tablets²⁵ • Calpol® Six Plus Sugar Free Suspension²⁶ • Calpol® Sugar Free Infant Suspension²⁷ • Panadol® Advance tablets²⁸ • Paracetamol 500mg tablets (generic)²⁹ • Alvedon® 60mg, 125mg or 250mg suppositories³⁰ | <ul style="list-style-type: none"> • Long term conditions requiring regular pain relief • Children under two months (Calpol® Sugar Free Infant Suspension) • Babies born before 37 weeks (Calpol® Sugar Free Infant Suspension) • Babies weighing less than 4kg (Calpol® Sugar Free Infant Suspension) • Children under six years (Anadin® paracetamol, Calpol® Six Plus Sugar Free Suspension) • Children under ten years (Panadol® Advance tablets, Paracetamol 500mg tablets (generic)) • Severe renal or severe hepatic impairment (medical advice needed) • Use with caution in patients with glutathione depletion due to metabolic deficiencies • Fructose intolerance (Calpol® suspensions, soluble paracetamol tablets) • Use with caution if on a low sodium diet due to high sodium content of soluble/effervescent tablets and sachets | GSL/P depending on pack size |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|--|---|--|--|------------------------------|
| 28. Minor conditions associated with pain, discomfort and fever, e.g. aches and sprains, headache, period pain, back pain continued | No routine exceptions have been identified See general exceptions on page 1 | Ibuprofen 200mg, 400mg capsules/ tablets Ibuprofen 100mg/5ml oral suspension | <ul style="list-style-type: none"> • Anadin® Ibuprofen³¹ • Calprofen®³² • Cuprofen®³³ • Nurofen®³⁴ | <ul style="list-style-type: none"> • Long-term indication • Stomach ulcer, perforation or bleeding (active or history of bleeding) • Children under three months and weighing less than 5kg (Calprofen®, Nurofen®, some brands may vary) • Children under 12 years (Anadin® Ibuprofen, Cuprofen®) • Severe renal or hepatic impairment • Class IV heart failure • Last trimester of pregnancy (use only if it is clearly necessary in the first and second trimesters) • Avoid use in chickenpox (varicella) • Fructose intolerance | GSL/P depending on pack size |
| | | Co-codamol 8/500mg tablets, capsules, effervescent tablets | <ul style="list-style-type: none"> • Migraleve® Yellow tablets¹¹¹ • Paracodol®¹¹² | <ul style="list-style-type: none"> • Children under 12 years • Severe kidney and liver disease (medical advice needed) • Pregnancy, breastfeeding • Treatment length limited to three days • Head injury; in conditions in which intracranial pressure is increased; acute respiratory depression; obstructive bowel disorders and in patients at risk of paralytic ileus • CYP2D6 ultra-rapid metabolisers | P (up to 32 tablets) |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|--|---|--|--|-------------------------------|
| 28. Minor conditions associated with pain, discomfort and fever, e.g. aches and sprains, headache, period pain, back pain continued | No routine exceptions have been identified | Topical ibuprofen gel (5% and 10%) | <ul style="list-style-type: none"> Ibuprofen 5% gel (generic)¹⁴⁵ | <ul style="list-style-type: none"> Children under 12 years Pregnancy, breastfeeding Broken/infected/inflamed skin Eczema Patients with asthma, rhinitis or urticaria Hypersensitivity to aspirin, or other NSAIDs Caution with history of/current stomach or duodenal ulcer; history of kidney problems (medical advice needed) Excessive exposure to sunlight Review treatment after two weeks | GSL/P depending on indication |
| | See general exceptions on page 1 | Topical diclofenac diethylamine gel (1.16% and 2.32%) | <ul style="list-style-type: none"> Motusol® Max 2.32% w/w gel¹⁴⁶ Voltarol® Joint and Back Pain Relief Gel¹⁴⁷ | <ul style="list-style-type: none"> Children under 14 years Last trimester of pregnancy (only use in 1st and 2nd trimesters if clearly necessary), breastfeeding – medical advice needed Hypersensitivity to aspirin, or other NSAIDs Eczema, broken/inflamed/infected skin, use on mucous membranes Caution with history of/current stomach or duodenal ulcer, reduced kidney, liver or heart function Excessive exposure to sunlight Treatment length greater than one week If symptoms worsen or do not improve after three to five days, consult a doctor | GSL |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|-------------------------|--|--|---|--|-------|
| 29. Mouth ulcers | No routine exceptions have been identified See general exceptions on page 1 | Choline salicylate/ cetalkonium chloride Lidocaine hydrochloride/ chlorocresol/ cetylpyridinium chloride Benzocaine | <ul style="list-style-type: none"> • Bonjela®¹⁴⁸ • Anbesol®¹⁴⁹ • Orajel®¹⁵⁰ | <ul style="list-style-type: none"> • Children under 12 years (Anbesol®, Orajel®), under 16 years (Bonjela®) • Active peptic ulceration (Bonjela®) • Pregnancy (Bonjela®, Anbesol®) • Hypersensitivity to aspirin, or other NSAIDs (Bonjela®) • Porphyria (Anbesol®) • Individual with, or family history of, methaemoglobinaemia (Orajel®) | GSL |
| 30. Nappy rash | No routine exceptions have been identified | Titanium dioxide/ titanium peroxide/ titanium salicylate | <ul style="list-style-type: none"> • Metanium® Nappy Rash ointment¹⁵¹ | <ul style="list-style-type: none"> • External use only | GSL |
| | See general exceptions on page 1 | Zinc oxide/benzyl alcohol/benzyl benzoate/lanolin | <ul style="list-style-type: none"> • Sudocrem® Antiseptic Healing Cream¹⁴⁴ | <ul style="list-style-type: none"> • External use only | GSL |
| 31. Oral thrush | No routine exceptions have been identified See general exceptions on page 1 | Miconazole 2% oral gel 15g | <ul style="list-style-type: none"> • Daktarin® Oral Gel¹⁵² | <ul style="list-style-type: none"> • Children under four months or whose swallowing reflex is not yet sufficiently developed • Caution in infants who are pre-term or have slow neuromuscular development, do not use for first five to six months of life • Pregnancy – avoid use if possible, breastfeeding – caution advised • Liver dysfunction • Coadministration of drugs metabolised by CYP3A4 e.g. astemizole, cisapride, dofetilide, mizolastine, pimozone, quinidine, sertindole, terfenadine, ergot alkaloids, HMG-CoA reductase inhibitors, triazolam, oral midazolam | P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|--|--|---|--|--|
| 32. Prevention of dental caries (dental decay) | No routine exceptions have been identified Prescription only medicines need to be re-directed to the dentist to prescribe See general exceptions on page 1 | Mouthwashes, sprays and gels containing active ingredients such as chlorhexidine Fluoride | <ul style="list-style-type: none"> • Corsodyl® mouthwash¹⁵³ • Corsodyl® gel¹⁵⁴ • Fluoride toothpaste (various) | <ul style="list-style-type: none"> • Children under 12 years (chlorhexidine products) | GSL/P |
| 33. Ringworm/ Athletes foot | Lymphoedema or history of lower limb cellulitis See general exceptions on page 1 | Miconazole 2% cream Miconazole powder 2% Miconazole 0.16% spray powder | <ul style="list-style-type: none"> • Daktarin®¹⁵⁵ • Daktarin® Powder¹⁵⁶ • Daktarin® Aktiv¹⁵⁷ | <ul style="list-style-type: none"> • Pregnancy and breastfeeding – use with caution • For external use only | P (cream, powder) GSL (Daktarin Aktiv spray powder) |
| | | Ketoconazole 2% cream | <ul style="list-style-type: none"> • Daktarin® Intensiv Cream¹⁵⁸ • Daktarin® Gold 2% Cream¹⁵⁹ | <ul style="list-style-type: none"> • Children under 18 years • For external use only | GSL P |
| | | Terbinafine hydrochloride 1% | <ul style="list-style-type: none"> • Lamisil® AT¹⁶⁰ • Boots Athlete's Foot Cream¹⁶¹ | <ul style="list-style-type: none"> • Children under 16 years • For external use only, do not use on face • Pregnancy, breastfeeding | GSL |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|--|--|---|--|------------------------------|
| 34. Teething/ mild toothache | No routine exceptions have been identified See general exceptions on page 1 | Paracetamol 500mg tablets/soluble tablets/effervescent tablets/sachets/capsules Paracetamol 500mg/5ml adult oral solution/suspension sugar free Paracetamol 120mg/5ml suspension (from three months) sugar free Paracetamol 250mg/5ml suspension (from six years old) sugar free Paracetamol suppositories (from three months) | <ul style="list-style-type: none"> • Anadin® paracetamol tablets²⁵ • Calpol® Six Plus Sugar Free Suspension²⁶ • Calpol® Sugar Free Infant Suspension²⁷ • Panadol® Advance tablets²⁸ • Paracetamol 500mg tablets (generic)²⁹ • Alvedon® 60mg, 125mg or 250mg suppositories³⁰ | <ul style="list-style-type: none"> • Long term conditions requiring regular pain relief • Use with caution in patients with glutathione depletion due to metabolic deficiencies • Children under two months (Calpol® Sugar Free Infant Suspension) • Babies born before 37 weeks (Calpol® Sugar Free Infant Suspension) • Babies weighing less than 4kg (Calpol® Sugar Free Infant Suspension) • Severe renal or severe hepatic impairment (medical advice needed) • Children under 10 years (Panadol® Advance tablets, Paracetamol 500mg tablets (generic)) • Fructose intolerance (Calpol® suspensions, soluble paracetamol tablets) • Sodium content of soluble/effervescent tablets and sachets | GSL/P depending on pack size |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---|--|---|--|---|---------------------------------|
| 34. Teething/ mild toothache continued | No routine exceptions have been identified See general exceptions on page 1 | Ibuprofen 200mg, 400mg capsules/ tablets Ibuprofen 100mg/5ml oral suspension | <ul style="list-style-type: none"> • Anadin® Ibuprofen³¹ • Calprofen®³² • Cuprofen®³³ • Nurofen®³⁴ | <ul style="list-style-type: none"> • Long-term indication • Stomach ulcer, perforation or bleeding (active or history of) • Children under two months and weighing less than 5kg (Calprofen®, Nurofen®, some brands may vary) • Children under 12 years (Anadin® Ibuprofen, Cuprofen®) • Severe renal or hepatic impairment • Class IV heart failure • Last trimester of pregnancy (use only if it is clearly necessary in the first and second trimesters) • Avoid use in chickenpox (varicella) • Fructose intolerance | GSL/P depending on pack size |
| | | Teething gel | <ul style="list-style-type: none"> • Bonjela® Soothing Teething Gel¹⁶² • Dentinox® Teething Gel¹⁶³ | <ul style="list-style-type: none"> • Babies under six months (Bonjela® Soothing Teething Gel) • Babies under five months (Dentinox®) • Fructose intolerance (Dentinox®) • Treatment needed for more than seven days (Dentinox®) | GSL/P |
| 35. Thread-worms | No routine exceptions have been identified See general exceptions on page 1 | Mebendazole 100mg tablets | <ul style="list-style-type: none"> • Boots Threadworm Tablets 2 years Plus¹⁶⁴ • Ovex®¹⁶⁵ | <ul style="list-style-type: none"> • Children under two years • Pregnancy – do not use, breastfeeding – caution needed | P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|---------------------|--|--------------------------------------|---|--|-------|
| 36. Travel sickness | No routine exceptions have been identified | Cinnarizine tablets 15mg | <ul style="list-style-type: none"> Cinnarizine (generic)¹⁶⁶ Stugeron™ 15¹⁶⁷ | <ul style="list-style-type: none"> Parkinson's disease – only use if the advantages outweigh possible risk of disease aggravation Fructose or galactose intolerance, Lapp lactase deficiency, glucose-galactose malabsorption or sucrase- isomaltase insufficiency, Porphyria – avoid use Children under five years Pregnancy and breastfeeding – use not recommended | P |
| | See general exceptions on page 1 | Hyoscine hydrobromide tablets 150mcg | <ul style="list-style-type: none"> Joy-Rides® Tablets Chewable 150mcg¹⁶⁸ Kwells® 300mcg tablets¹⁶⁹ Kwells® Kids 150mcg Tablets¹⁷⁰ | <ul style="list-style-type: none"> Children under three years (Joyrides®) under four years (Kwells® Kids) Epilepsy – use with caution, increased seizure frequency possible Glaucoma Pregnancy – avoid use in first trimester, breastfeeding – caution advised Paralytic ileus, pyloric stenosis, prostatic enlargement Myasthenia gravis | P |

| Condition | Exceptions | Medication | Common brands | OTC restrictions (not exhaustive) | P/GSL |
|------------------------|--|--|--|---|-------------------------------------|
| 37. Warts and verrucae | No routine exceptions have been identified See general exceptions on page 1 | Wart and verruca gel such as those containing salicylic acid and lactic acid | <ul style="list-style-type: none"> • Bazuka® Extra strength gel¹⁷¹ • Bazuka® Gel¹⁷² • Bazuka® Treatment Gel¹⁷³ • Bazuka® Extra Strength Treatment Gel¹⁷⁴ | <ul style="list-style-type: none"> • Diabetes patients • Face, neck, ano-genital area • Moles, birthmarks, hairy warts or skin lesions • Inflamed or broken skin • Impaired peripheral blood circulation • Children under two years (Bazuka® Treatment Gel, Bazuka® Extra Strength Treatment Gel) | P GSL (Bazuka® treatment gel) |
| | | | <ul style="list-style-type: none"> • Salactol® Collodion¹⁷⁵ • Occlusal®¹⁷⁶ • Salatac®¹⁷⁷ | <ul style="list-style-type: none"> • Diabetes patients • Face, neck, ano-genital area • Moles, birthmarks, hairy warts or skin lesions • Inflamed or broken skin • Impaired peripheral blood circulation | P |
| | | Wart freeze treatments containing liquid freezing agents such as dimethyl ether, propane and isobutane | <ul style="list-style-type: none"> • Scholl® Verruca and Wart Remover Freeze Treatment¹⁷⁸ • Bazuka® Sub-Zero¹⁷⁹ | <ul style="list-style-type: none"> • Children under four years • Diabetes patients • Face, armpits, breasts, ano-genital area • Moles, birthmarks, hairy warts or skin lesions • Inflamed or broken skin • Impaired peripheral blood circulation | GSL |

References

1. NHS England and NHS Clinical Commissioners. Conditions for which over the counter items should not routinely be prescribed in primary care. Guidance for CCGs. March 2018. <https://www.england.nhs.uk/publication/conditions-for-which-over-the-counter-items-should-not-routinely-be-prescribed-in-primary-care-guidance-for-ccgs/>
2. Collinson S, Deans A, Padua-Zamora A, et al. Probiotics for treating acute infectious diarrhoea. Cochrane Database of Systematic Reviews 2020, Issue 12. Art. No.: CD003048. <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD003048.pub4/full>
3. Bernaola Aponte G, Bada Mancilla CA, Carreazo NY, et al. Probiotics for treating persistent diarrhoea in children. Cochrane Database of Systematic Reviews 2013, Issue 8. Art. No.: CD007401. <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD007401.pub3/full>
4. NHS Business Services Authority. March 2023. <https://www.nhsbsa.nhs.uk/pharmacies-gp-practices-and-appliance-contractors/drug-tariff>
5. NHS PrescQIPP. Bulletin 296. Vitamins and minerals. Version 2.0. November 2021. <https://www.prescqipp.info/our-resources/bulletins/bulletin-296-vitamins-and-minerals/>
6. All Wales Medicines Strategy Group. Items identified as low value for prescribing in NHS Wales. Paper 3. Published February 2020, updated March 2022. <https://awttc.nhs.wales/medicines-optimisation-and-safety/medicines-optimisation-guidance-resources-and-data/prescribing-guidance/items-identified-as-low-value-for-prescribing-in-nhs-wales/>
7. Electronic Medicines Compendium (eMC). SmPC for Difflam Oral Rinse. Mylan. Date of revision of the text January 2021. <https://www.medicines.org.uk/emc/product/9257/smpc>
8. Electronic Medicines Compendium (eMC). SmPC for Difflam Sore Throat Rinse. Mylan. Date of revision of the text January 2021. <https://www.medicines.org.uk/emc/product/9258/smpc>
9. Electronic Medicines Compendium (eMC). SmPC for Difflam Spray. Mylan. Date of revision of the text December 2020. <https://www.medicines.org.uk/emc/product/827/smpc>
10. Electronic Medicines Compendium (eMC). SmPC for Benzydamine 0.15% w/v Mouthwash. ADVANZ Pharma. Date of revision of the text April 2021. <https://www.medicines.org.uk/emc/product/3347/smpc>
11. Electronic Medicines Compendium (eMC). SmPC for Benzydamine 0.15% w/v Oromucosal Spray. ADVANZ Pharma. Date of revision of the text April 2020. <https://www.medicines.org.uk/emc/product/3348/smpc>
12. Electronic Medicines Compendium (eMC). SmPC for Covonia Medicated Sore Throat 5mg/1mg Lozenges Lemon Flavour. Thornton & Ross Ltd. Date of revision of the text April 2021. <https://www.medicines.org.uk/emc/product/9558/smpc>
13. Electronic Medicines Compendium (eMC). SmPC for Difflam 3 mg Lozenges - Lemon Flavour. Mylan. Date of revision of the text March 2020. <https://www.medicines.org.uk/emc/product/9882/smpc>
14. Electronic Medicines Compendium (eMC). SmPC for Strefen Honey and Lemon. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text March 2021. <https://www.medicines.org.uk/emc/product/6514>
15. Electronic Medicines Compendium (eMC). SmPC for Strepsils Honey and Lemon. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text March 2021. <https://www.medicines.org.uk/emc/product/5606/smpc>

16. Electronic Medicines Compendium (eMC). SmPC for Covonia Throat Spray. Thornton & Ross Ltd. Date of revision of the text July 2021. <https://www.medicines.org.uk/emc/product/4834/smpc>
17. Patient information leaflet (PIL) for Ultra Chloraseptic Anaesthetic Throat Spray. Prestige Brands (UK) Limited. Leaflet dated September 2021. <https://mhraproducts4853.blob.core.windows.net/docs/5d0908a725d45b3e6b665dd7531c4c40e90c7a89>
18. Electronic Medicines Compendium (eMC). SmPC for Aciclovir Cold Sore Cream. Pinewood Healthcare. Date of revision of the text June 2017. <https://www.medicines.org.uk/emc/product/9273/smpc>
19. Electronic Medicines Compendium (eMC). SmPC for Virasorb Cold Sore Cream. Thornton & Ross Ltd. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/4963/smpc>
20. Electronic Medicines Compendium (eMC). SmPC for Zovirax Cold Sore Cream. GlaxoSmithKline Consumer Healthcare. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/27/smpc>
21. Electronic Medicines Compendium (eMC). SmPC for Brolene Antibiotic 0.5%w/v Eye Drops. Thornton & Ross Ltd. Date of revision of the text November 2021. <https://www.medicines.org.uk/emc/product/13182/smpc>
22. Electronic Medicines Compendium (eMC). SmPC for Chloramphenicol Antibiotic 0.5%w/v Eye Drops. Martindale Pharma. Date of revision of the text September 2021. <https://www.medicines.org.uk/emc/product/9662/smpc>
23. Electronic Medicines Compendium (eMC). SmPC for Optrex Infected Eye Drops. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text July 2021. <https://www.medicines.org.uk/emc/product/612/smpc>
24. Electronic Medicines Compendium (eMC). SmPC for Optrex Bacterial Conjunctivitis 1% w/w Eye ointment. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text December 2019. <https://www.medicines.org.uk/emc/product/7299/smpc>
25. Electronic Medicines Compendium (eMC). SmPC for Anadin Paracetamol Tablets. GlaxoSmithKline Consumer Healthcare. Date of revision of the text July 2020. <https://www.medicines.org.uk/emc/product/11899/smpc>
26. Electronic Medicines Compendium (eMC). SmPC for Calpol Six Plus Sugar Free Suspension (P). McNeil Products Ltd. Date of revision of the text June 2022. <https://www.medicines.org.uk/emc/product/1721/smpc>
27. Electronic Medicines Compendium (eMC). SmPC for CALPOL Sugar Free Infant Suspension (P). McNeil Products Ltd. Date of revision of the text June 2022. <https://www.medicines.org.uk/emc/product/6632/smpc>
28. Electronic Medicines Compendium (eMC). SmPC for Panadol Advance 500 mg Tablets (GSL). GlaxoSmithKline Consumer Healthcare. Date of revision of the text February 2020. <https://www.medicines.org.uk/emc/product/6512/smpc>
29. Electronic Medicines Compendium (eMC). SmPC for Paracetamol Tablets 500mg. Zentiva (P). Date of revision of the text September 2022. <https://www.medicines.org.uk/emc/product/9128/smpc>
30. Electronic Medicines Compendium (eMC). SmPC Alvedon 125mg suppositories. Esteve Pharmaceuticals (formerly Intrapharm Laboratories). Date of revision of the text 15/08/2022. <https://www.medicines.org.uk/emc/product/3699>
31. Electronic Medicines Compendium (eMC). SmPC for Anadin Ibuprofen 200 mg Tablets. GlaxoSmithKline Consumer Healthcare. Date of revision of the text March 2021. <https://www.medicines.org.uk/emc/product/3876/smpc>

32. Electronic Medicines Compendium (eMC). SmPC for Calprofen Ibuprofen Suspension. McNeil Products Ltd. Date of revision of the text April 2021. <https://www.medicines.org.uk/emc/product/6608/smpc>
33. Electronic Medicines Compendium (eMC). SmPC for Cuprofen Tablets 400mg. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text August 2021. <https://www.medicines.org.uk/emc/product/10971>
34. Electronic Medicines Compendium (eMC). SmPC for Nurofen 200 mg Tablets. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text August 2021. <https://www.medicines.org.uk/emc/product/5936/smpc>
35. Electronic Medicines Compendium (eMC). SmPC for Benylin Day and Night Tablets. McNeil Products Ltd. Date of revision of the text June 2022. <https://www.medicines.org.uk/emc/product/1711/smpc>
36. Electronic Medicines Compendium (eMC). SmPC for Non-Drowsy Sinutab. McNeil Products Ltd. Date of revision of the text September 2022. <https://www.medicines.org.uk/emc/product/1716/smpc>
37. Electronic Medicines Compendium (eMC). SmPC for Lemsip Max Flu Lemon. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text July 2022. <https://www.medicines.org.uk/emc/product/5611/smpc>
38. Electronic Medicines Compendium (eMC). SmPC for Sudafed Decongestant Tablets. McNeil Products Ltd. Date of revision of the text September 2021. <https://www.medicines.org.uk/emc/product/6199/smpc>
39. Electronic Medicines Compendium (eMC). Sudafed® Decongestant Liquid. McNeil Products Ltd. Date of revision of the text September 2021. <https://www.medicines.org.uk/emc/product/6198>
40. Electronic Medicines Compendium (eMC). SmPC for Sudafed® Sinus Pressure & Pain Tablets. McNeil Products Ltd. Date of revision of the text May 2021. <https://www.medicines.org.uk/emc/product/9174>
41. Electronic Medicines Compendium (eMC). SmPC for Capasal Therapeutic Shampoo. Dermal Laboratories Limited. Date of revision of the text March 2020. <https://www.medicines.org.uk/emc/product/3751>
42. Electronic Medicines Compendium (eMC). SmPC for Dentinox Cradle Cap Treatment Shampoo. Dendron Brands Limited. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/6605>
43. Loyon Cradle Cap Treatment. Pohl Boskamp. <https://www.boots.com/loyon-cradle-cap-treatment-10197635> Accessed 13/02/2023.
44. Electronic Medicines Compendium (eMC). SmPC for Anodesyn Ointment. Thornton & Ross Ltd. Date of revision of the text July 2021. <https://www.medicines.org.uk/emc/product/4821/smpc>
45. Electronic Medicines Compendium (eMC). SmPC for Anusol Cream. Church & Dwight UK Ltd. Date of revision of the text June 2017. <https://www.medicines.org.uk/emc/product/1486/smpc>
46. Electronic Medicines Compendium (eMC). SmPC for Anusol Plus HC Ointment. Church & Dwight UK Ltd. Date of revision of the text June 2017. <https://www.medicines.org.uk/emc/product/1470/smpc>
47. Electronic Medicines Compendium (eMC). SmPC for Germoloids Ointment. Bayer plc. Date of revision of the text February 2021. <https://www.medicines.org.uk/emc/product/1301/smpc>
48. Colief. Colief FAQs. Crosscare Limited. <https://colief.com/advice/colief-faqs/> Accessed 02/03/2023.

49. Infacol. About Infacol – Healthcare Professionals. Teva UK Limited. <https://www.infacol.co.uk/healthcare-professionals/> Accessed 02/03/2023.
50. Electronic Medicines Compendium (eMC). SmPC for Dentinox Infant Colic Drops. Dendron Brands Limited. Date of revision of the text September 2020. <https://www.medicines.org.uk/emc/product/6612/smpc#gref>
51. Clinical Knowledge Summaries (CKS). Urinary tract infection (lower) – women. Scenario: UTI—no visible haematuria, not pregnant or catheterized. Last revised February 2023. <https://cks.nice.org.uk/topics/urinary-tract-infection-lower-women/management/uti-no-visible-haematuria-not-pregnant-or-catheterized/>
52. Bayer. CanesOasis Cystitis Relief. <https://www.canesten.co.uk/discover-canesten-products/canesoasis-cystitis-relief> Accessed 13/02/2023.
53. Electronic Medicines Compendium (eMC). PIL for Boots Cystitis Relief (Cranberry). THE BOOTS COMPANY PLC. Date of revision of the text December 2020. <https://www.medicines.org.uk/emc/product/8291/pil>
54. Electronic Medicines Compendium (eMC). SmPC for Cystopurin 3g granules for oral solution. Bayer plc. Date of revision of the text March 2021. <https://www.medicines.org.uk/emc/product/13698/smpc>
55. Cambridge Healthcare Supplies Limited. Summary of Product Characteristics for Effercitrate Tablets. Date of revision of the text January 2017. <http://www.cambridge-healthcare.co.uk/assets/product-information/Effercitrate/Effercitrate-Tablets-SmPC.pdf>
56. Electronic Medicines Compendium (eMC). SmPC for Potassium Citrate Mixture. Thornton & Ross Ltd. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/4922/smpc>
57. Clinical Knowledge Summaries (CKS). Dermatitis - contact. Scenario: Management of contact dermatitis. Last revised in July 2018. <https://cks.nice.org.uk/topics/dermatitis-contact/management/management/>
58. Electronic Medicines Compendium (eMC). SmPC for Eurax Cream. Thornton & Ross Ltd. Date of revision of the text September 2021. <https://www.medicines.org.uk/emc/product/2255/smpc>
59. Electronic Medicines Compendium (eMC). SmPC for Eurax Hc Cream. Thornton & Ross Ltd. Date of revision of the text December 2021. <https://www.medicines.org.uk/emc/product/6323/smpc>
60. Electronic Medicines Compendium (eMC). SmPC for Hc45 Hydrocortisone Cream. Karo Pharma AB. Date of revision of the text October 2022. <https://www.medicines.org.uk/emc/product/5651/smpc>
61. Electronic Medicines Compendium (eMC). SmPC for Dandrazol Anti-Dandruff Shampoo. Transdermal Limited. Date of revision of the text October 2021. <https://www.medicines.org.uk/emc/product/9660/smpc>
62. Electronic Medicines Compendium (eMC). SmPC for Nizoral Dandruff Shampoo. Thornton & Ross Ltd. Date of revision of the text October 2020. <https://www.medicines.org.uk/emc/product/6764/smpc>
63. Electronic Medicines Compendium (eMC). SmPC for Capasal Therapeutic Shampoo. Dermal Laboratories Limited. Date of revision of the text March 2020. <https://www.medicines.org.uk/emc/product/3751/smpc>
64. Electronic Medicines Compendium (eMC). SmPC for Cocois (Coconut Oil Compound Ointment). RPH Pharmaceuticals AB. Date of revision of the text January 2021. <https://www.medicines.org.uk/emc/product/9100/smpc>
65. Electronic Medicines Compendium (eMC). SmPC for Polytar Scalp Shampoo. Thornton & Ross Ltd. Date of revision of the text December 2020. <https://www.medicines.org.uk/emc/product/2161/smpc>

66. SmPC for Selsun 2.5% selenium sulphide shampoo. Opella Healthcare UK Limited, trading as Sanofi <https://mhraproducts4853.blob.core.windows.net/docs/810747c1288edc1981e231e4c29096a1e522617d>
67. Electronic Medicines Compendium (eMC). PIL for Boots Rehydration Treatment. THE BOOTS COMPANY PLC. Leaflet prepared November 2022. <https://www.medicines.org.uk/emc/product/5655/smhc#gref>
68. Electronic Medicines Compendium (eMC). SmPC for Dioralyte Relief Blackcurrant Sachets P. SANOFI Consumer Healthcare. Date of revision of the text November 2021. <https://www.medicines.org.uk/emc/product/274/smhc#gref>
69. Electronic Medicines Compendium (eMC). SmPC for Boots Diarrhoea Relief 2 mg Capsules (P and GSL). THE BOOTS COMPANY PLC. Date of revision of the text December 2022. <https://www.medicines.org.uk/emc/product/2986/smhc>
70. Electronic Medicines Compendium (eMC). SmPC for Imodium Original 2mg Capsules. McNeil Products Ltd. Date of revision of the text January 2023. <https://www.medicines.org.uk/emc/product/558/smhc>
71. Electronic Medicines Compendium (eMC). SmPC for Loperamide (P) 2mg Caps. Tillomed Laboratories Ltd. Date of revision of the text April 2022. <https://www.medicines.org.uk/emc/product/11853/smhc>
72. Electronic Medicines Compendium (eMC). SmPC for Artelac 10ml hypromellose 0.32% with preservative, Eye drops solution. Bausch & Lomb U.K Limited. Date of revision of the text May 2015. <https://www.medicines.org.uk/emc/product/6141/smhc>
73. Electronic Medicines Compendium (eMC). SmPC for Hypromellose Eye Drops BP. FDC International Ltd. Date of revision of the text August 2020. <https://www.medicines.org.uk/emc/product/457/smhc>
74. Electronic Medicines Compendium (eMC). SmPC for GelTears. Bausch & Lomb U.K Limited. Date of revision of the text October 2017. <https://www.medicines.org.uk/emc/product/2250/smhc>
75. Electronic Medicines Compendium (eMC). SmPC for Liquivisc. Thea Pharmaceuticals Ltd. Date of revision of the text March 2021. <https://www.medicines.org.uk/emc/product/4670/smhc>
76. Electronic Medicines Compendium (eMC). SmPC for Viscotears Liquid Gel Eye drops. Bausch & Lomb U.K Limited. Date of revision of the text November 2016. <https://www.medicines.org.uk/emc/product/2310/smhc>
77. Electronic Medicines Compendium (eMC). SmPC for Simple Eye Ointment BP. Martindale Pharma, an Ethypharm Group Company. Date of revision of the text February 2019. <https://www.medicines.org.uk/emc/product/3538>
78. Boots Eye Drops Dry & Irritated Eyes - 10ml. <https://www.boots.com/boots-dry-eyes-eye-drops-10ml-10149522> Accessed 13/02/2023.
79. Optrex Intensive Eye Drops - 10ml. Reckitt Benckiser Healthcare (UK). <https://groceries.asda.com/product/eye-drops-spray-wash/optrex-intensive-eye-drops/910002081304> Accessed 13/02/2023.
80. Electronic Medicines Compendium (eMC). SmPC for Optrex Sore Eye Drops. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text June 2017. <https://www.medicines.org.uk/emc/product/613/smhc>
81. Electronic Medicines Compendium (eMC). SmPC for EarCalm Spray. Teva UK Limited. Date of revision of the text October 2021. <https://www.medicines.org.uk/emc/product/9013/smhc>
82. Electronic Medicines Compendium (eMC). SmPC for Otex Ear Drops. Diomed Developments Limited. Date of revision of the text February 2021. <https://www.medicines.org.uk/emc/product/299/smhc>

83. Electronic Medicines Compendium (eMC). SmPC for Waxsol 0.5% w/v Ear Drops, Docusate sodium BP. Mylan. Date of revision of the text January 2023. <https://www.medicines.org.uk/emc/product/4627/smpc>
84. Electronic Medicines Compendium (eMC). SmPC for Anhydrol Forte 20% w/v Cutaneous Solution. Dermal Laboratories Limited. Date of revision of the text May 2015. <https://www.medicines.org.uk/emc/product/3749/smpc>
85. Electronic Medicines Compendium (eMC). SmPC for Driclor. GlaxoSmithKline Consumer Healthcare. Date of revision of the text September 2018. <https://www.medicines.org.uk/emc/product/1175/smpc>
86. Electronic Medicines Compendium (eMC). PIL for Hedrin 4% Lotion diemticone (P). Thornton & Ross Ltd. Leaflet prepared August 2019. <https://www.medicines.org.uk/emc/product/4901/pil>
87. Lyclear. Head Lice Treatment. Omega Pharma Ltd, a subsidiary of Perrigo Company PLC. <https://www.lyclear.co.uk/head-lice-treatment> Accessed 13/02/2023.
88. Full Marks Solution. Reckitt Benckiser Healthcare (UK). <https://www.tesco.com/groceries/en-GB/products/255840908> Accessed 13/02/2023
89. SmPC for Derbac M Liquid. G R Lane Health Products Ltd. Date of revision of the text December 2019. <https://mhraproducts4853.blob.core.windows.net/docs/48b9151587ae0547b0fbfc3468c39ecc947f501c>
90. Vamousse. Lice Treatment Mousse. Alliance Pharmaceuticals Ltd. <https://vamousselite.com/treat/> Accessed 13/02/2023.
91. Electronic Medicines Compendium (eMC). SmPC for Bisodol Original Indigestion Relief Tablets. Teva UK Limited. Date of revision of the text May 2020. <https://www.medicines.org.uk/emc/product/9014/smpc>
92. Electronic Medicines Compendium (eMC). SmPC for Acidex Advance Oral Suspension (Peppermint Flavour). Wockhardt UK Ltd. Date of revision of the text January 2020. <https://www.medicines.org.uk/emc/product/9998/smpc>
93. Electronic Medicines Compendium (eMC). SmPC for Gaviscon Advance Peppermint Flavour Oral Suspension (GSL). Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text May 2021. <https://www.medicines.org.uk/emc/product/11924/smpc>
94. Electronic Medicines Compendium (eMC). SmPC for Gaviscon Infant Sachets. Forum Health Products Limited. Date of revision of the text February 2020. <https://www.medicines.org.uk/emc/product/6581/smpc>
95. Electronic Medicines Compendium (eMC). SmPC for Pyrocalm Control 20mg Gastro-Resistant Tablets. Dexel Pharma Ltd. Date of revision of the text July 2021. <https://www.medicines.org.uk/emc/product/9154/smpc#gref>
96. Electronic Medicines Compendium (eMC). SmPC for Nexium Control 20mg gastro-resistant capsules. GlaxoSmithKline Consumer Healthcare. Date of revision of the text January 2021. <https://www.medicines.org.uk/emc/product/819/smpc>
97. Electronic Medicines Compendium (eMC). SmPC for Guardium acid reflux control 20mg gastro-resistant tablets. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text March 2022. <https://www.medicines.org.uk/emc/product/10345>
98. Electronic Medicines Compendium (eMC). SmPC for Pantoloc Control 20mg gastro-resistant tablets. GlaxoSmithKline Consumer Healthcare. Date of revision of the text March 2017. <https://www.medicines.org.uk/emc/product/493>
99. Electronic Medicines Compendium (eMC). SmPC for Lactulose 3.3g/5ml Oral Solution. Tetris Pharma Ltd. Date of revision of the text December 2015. <https://www.medicines.org.uk/emc/product/13211/smpc>

100. Electronic Medicines Compendium (eMC). SmPC for Duphalac 3.335 g/5 ml Oral Solution. Mylan. Date of revision of the text April 2022. <https://www.medicines.org.uk/emc/product/5525/smpc>
101. Electronic Medicines Compendium (eMC). SmPC for Bisalax Constipation Relief 5mg Tablets Adult. Dr. Reddy's Laboratories (UK) Ltd. Date of revision of the text January 2023. <https://www.medicines.org.uk/emc/product/2086>
102. Electronic Medicines Compendium (eMC). SmPC for Dulcolax Adult 5 mg Gastro-resistant Tablets (GSL). SANOFI Consumer Healthcare. Date of revision of the text November 2021. <https://www.medicines.org.uk/emc/product/361/smpc#>
103. Electronic Medicines Compendium (eMC). SmPC for SOVOLAX 5mg Tablets. Sovereign Medical. Date of revision of the text February 2020. <https://www.medicines.org.uk/emc/product/13050/smpc>
104. Electronic Medicines Compendium (eMC). SmPC for Senokot Max Strength Tablets 12 year plus. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text December 2020. <https://www.medicines.org.uk/emc/product/11549/smpc>
105. Electronic Medicines Compendium (eMC). SmPC for Senokot 7.5 mg Tablets 12 Years Plus. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text December 2020. <https://www.medicines.org.uk/emc/product/11548/smpc>
106. Electronic Medicines Compendium (eMC). SmPC for Fybogel Orange Granules. Forum Health Products Limited. Date of revision of the text December 2020. <https://www.medicines.org.uk/emc/product/1447/smpc>
107. Electronic Medicines Compendium (eMC). SmPC for Ispagel Orange. Bristol Laboratories Ltd. Date of revision of the text April 2021. <https://www.medicines.org.uk/emc/product/4404/smpc>
108. Electronic Medicines Compendium (eMC). SmPC for Buccastem M Buccal Tablets. Alliance Pharmaceuticals. Date of revision of the text December 2019. <https://www.medicines.org.uk/emc/product/478/smpc>
109. Electronic Medicines Compendium (eMC). SmPC for Anadin Paracetamol Tablets. GlaxoSmithKline Consumer Healthcare. Date of revision of the text July 2020. <https://www.medicines.org.uk/emc/product/11899/smpc>
110. Electronic Medicines Compendium (eMC). SmPC for Paracetamol 500mg Soluble Tablets. Zentiva. Date of revision of the text September 2022. <https://www.medicines.org.uk/emc/product/4199/smpc>
111. Electronic Medicines Compendium (eMC). SmPC for Migraleve Yellow. McNeil Products Ltd. Date of revision of the text June 2022. <https://www.medicines.org.uk/emc/product/12729/smpc>
112. Electronic Medicines Compendium (eMC). SmPC for Paracodol tablets. Bayer plc. Date of revision of the text October 2019. <https://www.medicines.org.uk/emc/product/246>
113. Electronic Medicines Compendium (eMC). PIL for Boots Migraine Relief 50 mg Tablets. THE BOOTS COMPANY PLC. Leaflet prepared May 2022. <https://www.medicines.org.uk/emc/product/8337/pil>
114. Electronic Medicines Compendium (eMC). SmPC for Migraitan 50mg Film-coated Tablets. Bristol Laboratories Ltd. Date of revision of the text June 2022. <https://www.medicines.org.uk/emc/product/3463/smpc>
115. Electronic Medicines Compendium (eMC). SmPC for Anthisan Cream. SANOFI Consumer Healthcare. Date of revision of the text November 2021. <https://www.medicines.org.uk/emc/product/1618/smpc>

116. Electronic Medicines Compendium (eMC). SmPC for Savlon Bites & Stings Pain Relief Gel. Thornton & Ross Ltd. Date of revision of the text October 2020. <https://www.medicines.org.uk/emc/product/6332/smpc>
117. Electronic Medicines Compendium (eMC). SmPC for Calamine Lotion BP. Thornton & Ross Ltd. Date of revision of the text November 2016. <https://www.medicines.org.uk/emc/product/4822/smpc>
118. Electronic Medicines Compendium (eMC). SmPC for Piriton Syrup. GlaxoSmithKline Consumer Healthcare. Date of revision of the text February 2022. <https://www.medicines.org.uk/emc/product/3928/smpc>
119. Electronic Medicines Compendium (eMC). SmPC for Boots Allergy Relief 4 mg Tablets. THE BOOTS COMPANY PLC. Date of revision of the text December 2021. <https://www.medicines.org.uk/emc/product/2887/smpc>
120. Electronic Medicines Compendium (eMC). SmPC for Acnecide 5% w/w Gel. Galderma (U.K) Ltd. Date of revision of the text January 2023. <https://www.medicines.org.uk/emc/product/2225/smpc#>
121. Electronic Medicines Compendium (eMC). SmPC for Quinoderm 10% / 0.5% w/w Cream. Alliance Pharmaceuticals. Date of revision of the text July 2019. <https://www.medicines.org.uk/emc/product/5939/smpc>
122. Electronic Medicines Compendium (eMC). SmPC for Cetraben Emollient Bath Additive / Cetraben Bath Additive. Genus Pharmaceuticals. Date of revision of the text September 2019. <https://www.medicines.org.uk/emc/product/3/smpc>
123. Electronic Medicines Compendium (eMC). SmPC for Dermol 200 Shower Emollient. Dermal Laboratories Limited. Date of revision of the text November 2019. <https://www.medicines.org.uk/emc/product/3752/smpc>
124. Electronic Medicines Compendium (eMC). SmPC for Emulsiderm Emollient. Dermal Laboratories Limited. Date of revision of the text November 2019. <https://www.medicines.org.uk/emc/product/3756/smpc>
125. Electronic Medicines Compendium (eMC). SmPC for Oilatum Emollient. Thornton & Ross Ltd. Date of revision of the text June 2022. <https://www.medicines.org.uk/emc/product/5454/smpc>
126. Electronic Medicines Compendium (eMC). SmPC for Clarityn Allergy 1mg/ml Syrup. Bayer plc. Date of revision of the text August 2018. <https://www.medicines.org.uk/emc/product/13696/smpc>
127. Electronic Medicines Compendium (eMC). SmPC for Loratadine 10 mg Tablets. Flamingo Pharma (UK) Ltd. Date of revision of the text April 2022. <https://www.medicines.org.uk/emc/product/14579/smpc>
128. Electronic Medicines Compendium (eMC). SmPC for Benadryl Allergy Relief (GSL). McNeil Products Ltd. Date of revision of the text December 2020. <https://www.medicines.org.uk/emc/product/1473/smpc>
129. Electronic Medicines Compendium (eMC). SmPC for Acrivastine 8 mg Capsules, hard. Brown & Burk UK Ltd. Date of revision of the text July 2020. <https://www.medicines.org.uk/emc/product/11990/smpc>
130. Electronic Medicines Compendium (eMC). SmPC for Allevia 120mg tablets. SANOFI Consumer Healthcare. Date of revision of the text December 2022. <https://www.medicines.org.uk/emc/product/13208/smpc>
131. Electronic Medicines Compendium (eMC). SmPC for Cetirizine Hydrochloride 5 mg/5 ml Oral Solution. Pinewood Healthcare. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/4568/smpc>

132. Electronic Medicines Compendium (eMC). SmPC for Piriteze Allergy Relief Syrup. GlaxoSmithKline Consumer Healthcare. Date of revision of the text February 2022. <https://www.medicines.org.uk/emc/product/13429/smpc>
133. Electronic Medicines Compendium (eMC). SmPC for Zirtek Allergy Relief 10 mg film-coated Tablets. UCB Pharma Limited. Date of revision of the text July 2021. <https://www.medicines.org.uk/emc/product/175/smpc>
134. SmPC for Beconase Allergy / Beconase Hayfever. Omega Pharma Ltd. Date of revision of the text November 2022. <https://mhraproducts4853.blob.core.windows.net/docs/b4ea9d5b9c32676746324d673ec2fc444987883>
135. Electronic Medicines Compendium (eMC). PIL for Boots Hayfever Relief 50 microgram Nasal Spray. THE BOOTS COMPANY PLC. Leaflet last revised January 2019. <https://www.medicines.org.uk/emc/product/8305/pil>
136. Electronic Medicines Compendium (eMC). SmPC for Allercrom 2% w/v Eye Drops. FDC International Ltd. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/4136/smpc>
137. Electronic Medicines Compendium (eMC). SmPC for Allergy Relief 2% w/v eye drops, Solution. Aspire Pharma Ltd. Date of revision of the text July 2022. <https://www.medicines.org.uk/emc/product/5088/smpc>
138. Electronic Medicines Compendium (eMC). SmPC for Catacrom Sodium Cromoglicate 2% Preservative Free Unit Dose Eye Drops. Rayner Pharmaceuticals Limited. Date of revision of the text September 2022. <https://www.medicines.org.uk/emc/product/560/smpc>
139. Electronic Medicines Compendium (eMC). SmPC for Librachrom 2% w/v eye drops, solution. Aspire Pharma Ltd. Date of revision of the text June 2020. <https://www.medicines.org.uk/emc/product/11807/smpc>
140. Electronic Medicines Compendium (eMC). SmPC for Sodium Cromoglicate 2% w/v Eye Drops, Solution. Brown & Burk UK Ltd. Date of revision of the text March 2022. <https://www.medicines.org.uk/emc/product/10677/smpc>
141. Electronic Medicines Compendium (eMC). SmPC for Acriflex 0.25% w/w Cream. Thornton & Ross Ltd. Date of revision of the text January 2023. <https://www.medicines.org.uk/emc/product/4877>
142. Electronic Medicines Compendium (eMC). SmPC for Germolene Antiseptic Cream. Bayer plc. Date of revision of the text July 2020. <https://www.medicines.org.uk/emc/product/1298/smpc>
143. Electronic Medicines Compendium (eMC). SmPC for Savlon Antiseptic Cream. Thornton & Ross Ltd. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/6330/smpc>
144. Electronic Medicines Compendium (eMC). SmPC for Sudocrem Antiseptic Healing Cream. Teva UK Limited. Date of revision of the text December 2021. <https://www.medicines.org.uk/emc/product/8860>
145. Electronic Medicines Compendium (eMC). SmPC for Ibuprofen 5% Gel. ADVANZ Pharma. Date of revision of the text February 2021. <https://www.medicines.org.uk/emc/product/12990/smpc>
146. Electronic Medicines Compendium (eMC). SmPC for Diclofenac diethylamine (Motusol Max) 2.32% Gel. Teva UK Limited. Date of revision of the text February 2022. <https://www.medicines.org.uk/emc/product/13853/smpc>
147. Electronic Medicines Compendium (eMC). SmPC for Voltarol Joint & Back Pain Relief 2.32% Gel. GlaxoSmithKline Consumer Healthcare. Date of revision of the text January 2021. <https://www.medicines.org.uk/emc/product/9335/smpc>

148. Electronic Medicines Compendium (eMC). SmPC for Bonjela. Reckitt Benckiser Healthcare (UK) Ltd. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/624/smpc>
149. Electronic Medicines Compendium (eMC). SmPC for Anbesol Adult Strength Gel. Alliance Pharmaceuticals. Date of revision of the text March 2021. <https://www.medicines.org.uk/emc/product/1304/smpc>
150. Electronic Medicines Compendium (eMC). SmPC for Orajel Mouth Gel. Church & Dwight UK Ltd. Date of revision of the text April 2015. <https://www.medicines.org.uk/emc/product/1229/smpc>
151. Electronic Medicines Compendium (eMC). SmPC for Metanium Nappy Rash Ointment. Thornton & Ross Ltd. Date of revision of the text February 2015. <https://www.medicines.org.uk/emc/product/4902>
152. Electronic Medicines Compendium (eMC). SmPC for Daktarin Oral Gel. Janssen-Cilag Ltd. Date of revision of the text January 2021. <https://www.medicines.org.uk/emc/product/1503/smpc>
153. Electronic Medicines Compendium (eMC). SmPC for Corsodyl Mint Mouthwash. GlaxoSmithKline Consumer Healthcare. Date of revision of the text June 2020. <https://www.medicines.org.uk/emc/product/6521/smpc>
154. Electronic Medicines Compendium (eMC). SmPC for Corsodyl 1% w/w Dental Gel. GlaxoSmithKline Consumer Healthcare. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/21/smpc>
155. Electronic Medicines Compendium (eMC). SmPC for Daktarin 2% Cream. McNeil Products Ltd. Date of revision of the text October 2020. <https://www.medicines.org.uk/emc/product/443/smpc>
156. Electronic Medicines Compendium (eMC). SmPC for Daktarin Powder. McNeil Products Ltd. Date of revision of the text July 2020. <https://www.medicines.org.uk/emc/product/966/smpc>
157. Electronic Medicines Compendium (eMC). SmPC for Daktarin Aktiv Cream. McNeil Products Ltd. Date of revision of the text October 2020. <https://www.medicines.org.uk/emc/product/2193/smpc>
158. Electronic Medicines Compendium (eMC). SmPC for Daktarin Intensiv Cream. McNeil Products Ltd. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/488/smpc>
159. Electronic Medicines Compendium (eMC). SmPC for Daktarin Gold 2% Cream. McNeil Products Ltd. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/439/smpc>
160. Electronic Medicines Compendium (eMC). SmPC for Lamisil AT 1% Cream. GlaxoSmithKline Consumer Healthcare. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/6325/smpc>
161. Electronic Medicines Compendium (eMC). SmPC for Boots Athlete's Foot Cream. THE BOOTS COMPANY PLC. Date of revision of the text September 2022. <https://www.medicines.org.uk/emc/product/12002/smpc>
162. Bonjela Soothing Teething Gel 15ml. Reckitt Benckiser Healthcare (UK) Ltd <https://www.bonjela.co.uk/teething/#teething-products> Accessed 13/02/2023.
163. Electronic Medicines Compendium (eMC). SmPC for Dentinox Teething Gel. Dendron Brands Limited. Date of revision of the text September 2020. <https://www.medicines.org.uk/emc/product/6606/smpc>

164. Electronic Medicines Compendium (eMC). PIL for Boots Threadworm Tablets 2 Years Plus. THE BOOTS COMPANY PLC. Leaflet prepared January 2021. <https://www.medicines.org.uk/emc/product/8387/pil>
165. Electronic Medicines Compendium (eMC). SmPC for Ovex. McNeil Products Ltd. Date of revision of the text June 2021. <https://www.medicines.org.uk/emc/product/1317/smpc>
166. Electronic Medicines Compendium (eMC). SmPC for Cinnarizine 15 mg Tablets. Mylan. Date of revision of the text January 2021. <https://www.medicines.org.uk/emc/product/2607/smpc>
167. Electronic Medicines Compendium (eMC). SmPC for Stugeron 15. McNeil Products Ltd. Date of revision of the text December 2022. <https://www.medicines.org.uk/emc/product/371/smpc>
168. Electronic Medicines Compendium (eMC). SmPC for Joy-rides Tablets. Teva UK Limited. Date of revision of the text November 2020. <https://www.medicines.org.uk/emc/product/9016/smpc>
169. Electronic Medicines Compendium (eMC). SmPC for Kwells 300 microgram tablets. Dexcel Pharma Ltd. Date of revision of the text August 2020. <https://www.medicines.org.uk/emc/product/11746/smpc>
170. Electronic Medicines Compendium (eMC). SmPC for Kwells Kids 150 microgram tablets. Dexcel Pharma Ltd. Date of revision of the text August 2020. <https://www.medicines.org.uk/emc/product/11745/smpc>
171. Electronic Medicines Compendium (eMC). SmPC for Bazuka Extra Strength Gel. Diomed Developments Limited. Date of revision of the text April 2015. <https://www.medicines.org.uk/emc/product/303/smpc>
172. Electronic Medicines Compendium (eMC). SmPC for Bazuka Gel. Diomed Developments Limited. Date of revision of the text April 2015. <https://www.medicines.org.uk/emc/product/296/smpc>
173. Electronic Medicines Compendium (eMC). SmPC for Bazuka Treatment Gel. Diomed Developments Limited. Date of revision of the text April 2015. <https://www.medicines.org.uk/emc/product/6625/smpc>
174. Electronic Medicines Compendium (eMC). SmPC for Bazuka Extra Strength Treatment Gel. Diomed Developments Limited. Date of revision of the text April 2015. <https://www.medicines.org.uk/emc/product/4612/smpc>
175. Electronic Medicines Compendium (eMC). SmPC for Salactol Collodion. Dermal Laboratories Limited. Date of revision of the text July 2015. <https://www.medicines.org.uk/emc/product/3766>
176. Electronic Medicines Compendium (eMC). SmPC for Occlusal. Alliance Pharmaceuticals. Date of revision of the text March 2015. <https://www.medicines.org.uk/emc/product/5589>
177. Electronic Medicines Compendium (eMC). SmPC for Salatac Gel. Dermal Laboratories Limited. Date of revision of the text April 2015. <https://www.medicines.org.uk/emc/product/3767>
178. Scholl Verruca and Wart Remover Freeze Treatment 80ml/53g. <https://www.boots.com/scholl-freeze-verruca-and-wart-remover-80ml-53g-10055872> Accessed 13/02/2023.
179. Bazuka Sub-Zero. Diomed Developments Limited. <https://www.bazuka.co.uk/treat/sub-zero-freeze-treatment> Accessed 13/02/2023.

Additional PrescQIPP resources

| | |
|--------------------------------|---|
| Additional OTC items resources | https://www.prescqipp.info/our-resources/bulletins/bulletin-320-over-the-counter-items |
|--------------------------------|---|

Information compiled by Gemma Dowell, PrescQIPP CIC, February 2023 and reviewed by Katie Smith, PrescQIPP CIC, March 2023. Non-subscriber publication March 2024.

Support with any queries or comments related to the content of this document is available through the PrescQIPP help centre <https://help.prescqipp.info>

This document represents the view of PrescQIPP CIC at the time of publication, which was arrived at after careful consideration of the referenced evidence, and in accordance with PrescQIPP's quality assurance framework.

The use and application of this guidance does not override the individual responsibility of health and social care professionals to make decisions appropriate to local need and the circumstances of individual patients (in consultation with the patient and/or guardian or carer). [Terms and conditions](#)